

## AUTO REFRACTOR KARATOMETER









## **Auto Refractor Karatometer**

## **Feature:**

- Full automatic machine, only power on , put your head on chin rest, press any area on the screen, it will be automatic adjust the chin rest , the machine position , and automatic measure, automatic print and cut paper. All the measure within 20" finishing.
- 9" color and touch screen, 360° rotating screen.
- R/L Fully automated measurement
- Motorized main boday horizontal and vertical moving automatic
- Motorized joystick automatic
- IOL function, can measure the eye did cataract surgical before,





## **Technical Data**

- Measurement mode
  - K&R mode: Diopter and corneal curvature measurements
  - REF mode: Diopter measurement
  - KRT mode: Corneal curvature measurement
- Diopter measurment
  - Vertex distance (VD): 0mm, 12.0mm, 13.75mm, 15.00mm
  - Spherical refractive power: -25.00D~+25.00D
  - Cylindrical refractive power: -10D~10D
  - Direction of astigmatic axis: 0°∼180°
  - PD measurement: 10mm~85mm
- Corneal measurement
  - Minimum pupil diameter: Ф2.0mm
  - Corneal curvature radius: 5mm~10mm
  - Direction of corneal astigmatic axis: 0°∼180°
  - Cornea diameter: 2.0mm~12.0mm
- Product specifications
  - Monitor: 9 inch Touch LCD monitor
  - Printer: Auto-Cut Data Paper
  - Saving mode: 1/5/10/20/40 minutes automatic screensaver
  - Power supply: AC220V; 50HZ 75VA
  - Dimensions/Weight: 300(W)\*450(D)\*500-530(H)mm/20Kg





MUSEUM HILL CENTRE, MUSEUM ROAD P.O. BOX 75534 00200 NAIROBI, KENYA Tel: 0720 714 337

Tel: 0720 714 337 Email: info@medsurgehealth.co.ke Web: www.medsurgehealth.co.ke

